

REFERRAL TO OTHER HEALTH PROFESSIONALS

Your speech – language therapist will attempt to work collaboratively with other health professionals involved in treating your case. At times it may be necessary for the practitioner to contact others to discuss your treatment plan. Your consent will be obtained before this occurs.

You may also be referred on to another health professional e.g. your GP, OT or a counsellor for additional testing, advice or treatment which is outside the scope of speech – language therapy.

CANCELLATIONS AND MISSED APPOINTMENTS

In the interest of other patients requiring appointments we require at least 24 hours notice if you wish to cancel. This allows us to offer your appointment time to another patient.

If you do not attend your appointment and fail to notify us you will be charged a cancellation fee. This will be 50% of the scheduled fee. Discretion will be used in cases of emergency and where appointments are rescheduled.



Health funds

Health funds rebates are available through Medicare and selected private health care funds. Please refer to your health fund policy for details of what services you are covered for.

**For more information please contact
rishenda@pihc.com.au**

Speech – Language Pathology

**Rishenda Goodwin
BSc. (SHS), BA (Dip. Psych.)**



AGES AND STAGES OF DEVELOPMENT

This leaflet is designed to answer any questions you may have about how speech and language develops in the child

**Perth
Integrated
Health Clinic**

41 Havelock St West Perth

Ph: (08) 9226 1239

Fax: (08) 9226 1259

TUES; 9:15 – 2:30

WED; 9:15 – 2:30

THURS; 1:30-5:30

The ages and stages of children's speech

Learning to communicate is a step by step process for all children. A newborn communicates by crying, a six month old experiments with sounds, an eleven month old utters her first word, a three year old can string a four word sentence together, and by age five, most children can be understood by anyone. Many parents wonder if their children's speech and language is developing normally. Most children's speech becomes clearer gradually, as they hear and use sounds, words and sentences.

Be aware, too, that ear infections are common in children and they can interfere with sound development. While children develop individually, there is a general pattern to children's sound development.

Between birth and three years, children will attempt:

- lip sounds - p, b, m, w
- tongue tip sounds - t, d, n
- back of the mouth sounds - k, g
- other sounds - h, y

Most children will say these sounds clearly by the time they are three.

Sucking, learning to bite and chew, as well as putting objects in their mouths are all important. These behaviours help children become aware of their mouth parts and to control and to change mouth positions.

By four and a half years, children will also attempt:

- tongue tip sounds - s, z
- middle of the mouth sounds - sh, ch
- other sounds - l, j, f

Most children can be understood most of the time by this age. Their speech may become less clear if they are tired, unwell or excited. Songs, rhymes, play, books, talking and listening to other children all help them to sort out word and sound patterns.

By eight and a half years, children can say:

- all of the sounds clearly
 - the last sounds to develop are - v, th, r
- Some children take extra time to blend sounds together, for example, t r ee, p l ane and des k .

Learning to use sounds

Children may make mistakes when they begin to talk. They may:

- say an easier sound for a difficult one, such as tar for car, wing for ring
 - leave out sounds, such as boa for boat
 - leave out parts of words, such as te'phone for telephone
 - mix up the order of sounds, such as psghetti for spaghetti
 - say one sound instead of two or more, such as pane for plane, bider for spider
- Sometimes children make several mistakes in one sentence. For example, "let's go to the park" may sound like "wes do t u part."

Helping children to learn sounds

- Enjoy sounds - as your child learns new sounds, imitate them.
- When you don't understand a word or a sentence, gently say so ... and then try and work it out

together. When necessary, ask your child to show you the object they are talking about.

- Check that you have got a message right.
- Expect some mistakes. Learning to talk takes years.
- Listen to what children say, rather than every sound.
- Speak clearly and simply. Talk together often.

When to seek help

If you are worried, about your child's speech, if your child sounds different to the ages and stages outlined, or if your three year old cannot be understood by adults, you may need to seek help from a speech pathologist. A speech pathologist has been professionally trained to advise, diagnose and work with adults and children who have difficulty in communicating. Speech pathologists work in a variety of settings including schools, health centres, hospitals and private practice. Most speech pathologists belong to Speech Pathology Australia, which is the official body representing speech pathologists.

Adapted from The Speech Pathology Association of Australia fact sheet 2.3, 11-19 Bank Plc Melbourne Vic 3000